



Segway Technology Co., Ltd. (hereinafter referred to as "Segway Powersports") is an innovative company in the field of Powersports design and manufacturing, included but not limited to: All-terrain Vehicles, Utility Side by Sides, Sport Side by Sides and On-road Vehicles. Approaching the international market from a long-term perspective, Segway Powersports has numerous self-developed patented designs including hybrid powertrain systems, internal combustion engines, smart IOV system, advanced vehicle designs etc. Segway Powersports is a high-tech enterprise integrating a superior supply chain and its own factories. The company specializes in the R&D, production, sales and after-sales service of Powersports products. Segway Powersports adheres to the motto of "FEAR NO PLACE" and aims to be the leading All-Terrain mobility solution provider.

© Segway Technology Co., LTD. (Segway). All rights reserved. Segway LOGOs are registered trademarks of Segway or its affiliates. Segway reserves the rights to change or discontinue models, design, specifications, features, price and equipment at any time without incurring any obligation in order to continually improving quality and seeking for innovation. Because ATVs and SSVs can be hazardous to operate, Segway strongly recommends all drivers take training courses, read the Owner's Manual and watch the Safety Video before driving; always keep in mind that driving and alcohol/drugs don't mix; drivers must be over 18 years old or the age defined in the law and regulation in your country, and fulfill other requirements defined in the law and regulation in your countries. For safety concern, please remember that always wear proper riding gears such as helmet, eye protection, and other protective clothing, SSV driver and passenger always keep your seat belt fastened when driving. Never carry a passenger on any ATV if not specifically designed by the manufacturer for such use. Passenger must be over 12 years old or the age defined in the law and regulation in your country and able to hold handgrips and plant feet while seated against the backrest. Always respect for the local laws and regulations applicable in your country, the environment and the rights of other people while driving. Please drive and ride only in the in authorized locations and areas. All the photos were taken on private or licensed private land outside the European Union.

#### SEGWAY TECHNOLOGY CO., LTD.

No. 395, Xiacheng South Road, Wujin National High-tech Industrial Development Zone, Changzhou, Jiangsu, China. Tel:+86-519-69657999 Email:sales@powersports.segway.com Web:powersports.segway.com





## **SMART MOVING**

FORWARD-LOOKING INTELLIGENCE, ITERATIVE POWERSPORTS EXPERIENCE

348.6 tm 02:32:01

រៈ 🤣 🚺 ហ 🚖


Segway Powersports APP + 10.4"Smart Touch Screen



#### ● 「AirLock」Remote Unlock

When you get close to Segway Powersports, you can activate your vehicle by Bluetooth through your mobile phone AirLock. You can also use the APP(cellular data) to unlock the car remotely with your mobile phone as the key.

#### AIRLOCK | SET | SAFETY | TEAM | TRACK



#### 「SET」 Driving Settings

Get the Speed limit Settings, EPS Settings on your phone. Customize your Powersport for a personal fit, so you can enjoy the drive!

#### ● 「SAFETY 」 Security Guarantee

Add an SOS emergency contact person. In case of serious collision/rollover, the APP will automatically send an SMS with your location to the emergency contact person.



# Vehicle data vitorque, horse page, speed curr

#### ● 「TRACK 」 Real-Time Data


Vehicle data view: residual mileage, real-time torque, horse power, EPS mode, subtotal mileage, speed curve, etc.



#### 「TEAM」Wireless Team Up

00:02:56

Team up with friends. The offline map, wireless location and wireless communications will help you explore every time you ride.







#### Optimal PowertrainTech Design

The 570CC engine adopts the optimal design of insulator spark plug and optimized CAM. With the addition of electronic fuel injection system, the powertrain has good adaptability in high/low temperature and high altitude environment.



#### Powerful Configuration, Extraordinary Performance

Snarler have the most professional Configuration, high standard chassis, professional air shock, high strength frame, facing the challenges of all kinds of complex terrain, can have excellent performance.



#### Convenient Life Assistant

Electric winch 2500/3000(optional) pounds, can easily help you out. Snarler's racks feature strong and a large flat area. You can quickly attach and detach accessories, for strong practicability.



**570**cc

**44**HP

Horsepower

18/21cm

350 kg

18CM Front Suspension Travel 21CM Rear Suspension Travel **Tow Capacity** 

235 x 128 x 143 cm

92.5 X 50.4 X 56.3" (235 X 128 X 143 cm)

SNARLER AT6 L VEHICLE SIZE SNARLER AT6 S VEHICLE SIZE 86.7 X 50.4 X 52.0" (220 X 128 X 132 cm)

#### Model Highlights

- 570cc DOHC Engine
- 44 hp , 48 N.m Torque
- Controlled-Tension Design
- Standard Front Axle Differential Lock
- Front Tires & Wheel 26 X 8-14"
- Rear Tires & Wheel 26 X 10-14"
- Ground Clearance 27CM
- High-Strength Chromium-Molybdenum Steel Frame
- LED Headlights
- Fuel Tank Capacity 23L





## VILLAIN 5X10

As the flagship of the Segway Powersports type, Villain owns an inresistably powerful engine and nobleness, which illustrates its excellent designing conception as modern SxS.





#### Unleashed Beast Powerful Engine

With 105 horsepower the Villain's 1000cc engine is extremely competitive among 1000CC displacement level SSVs, with excellent low speed performance characteristics thanks to its 93.5 N·m of low end torque. Full throttle results in rapid and thrilling acceleration and will awaken your riding spirit.



#### Powerful Configuration Extraordinary Performance

Villain features exceptional quality and performance. The mix of our powerful and reliable engine, high strength frame, rigid chassis and professional level fully adjustable gas shocks give you the confidence to challenge even the toughest of terrain.



#### Exposed Engineering

We show our muscles with pride, we confidently reveal their intrinsic weaving throughout the body. We are built for all-terrain and whatever punches are thrown our way you won't see us flinch. We see beauty in our engineering and want it known that we are built to last.

### **PERFORMANCE**









#### Extreme Performance Gas Suspension

The Front Dual-A Arm Independent Suspension travel is 400mm and the Rear Suspension Multi-link Torsional Trailing-Arm Suspension travel is 430mm. The ground clearance is 360mm. It gives you a smooth ride over the roughest terrain.

#### Front Diff-Lock

Villain features a Spiral Angle Front/Rear Constant Drive Shaft, while the front axle differential enables the smooth switching between 2-wheel and 4-wheel drive. The Front axle differential lock can also be switched manually while moving, greatly improving the off-road performance.

#### Smart EPS Burst Out Your Passion

The EPS can be switched on-the-fly to one of three settings. With standard, comfort and sport settings selectable through our APP the ride is customizable for different drivers, terrain and road conditions.

#### Lightweight HC Steel Frame

The high-strength Chromium-molybdenum Steel Frame has the advantages of being lightweight and features a high level of rigidity. Our strong, robust and light frame provides a strong sense of security and a precise driving feel

VILLAIN SX10



1000cc

105нр

Horsepower

36см

40/45<sub>CM</sub>

14.2" (36 cm) Ground Clearance

15.7" (40cm) Front Suspension Travel 17.7" (45cm) Rear Suspension Travel

VEHICLE SIZE 64"

132.9 x 64.2 x 70.9" (337.5 ×163.0 ×180.0 cm)

VEHICLE SIZE 72"

132.3 x 72.8 x 72.8" (338.0 x185.0 x185.0 cm)

#### Villain SX10 Model Highlights

- 1000cc DOHC Engine
- 105 hp , 93.5 N.m Torque
- Standard Front Axle Differential Lock
- 72"Wide Version Tires Front Tires & Wheel 30 x 10-14" Rear Tires & Wheel 30 x 10-14"
- 64"Narrow Version Tires Front Tires &
   Wheel 29 x 9-14" Rear Tires & Wheel 29 x 9-14"
- Standard EPS
- High-Strength Chromium-Molybdenum
   Steel Frame
- Fuel Tank Capacity 44L









#### Incredible Powerful Engine

With 105 horsepower the Fugleman's 1000cc engine is extremely competitive among 1000CC displacement level UTVs, with excellent low speed performance characteristics thanks to its 93.5 N·m of low end torque. Full throttle results in rapid and thrilling acceleration and will awaken your riding spirit.



#### Powerful Configuration Extraordinary Performance

Fugleman features exceptional quality and performance. The mix of our powerful and reliable engine, high strength frame, rigid chassis and professional level fully adjustable gas shocks give you the confidence to challenge even the toughest of terrain.



#### Rich Versatility

Fugleman's large-capacity space has been optimized, and a new inclined cargo box is used to facilitate cargo operations. The cargo box is equipped with a hydraulic auxiliary mechanism and a sturdy latch system. The bed box inner dimension is 36.2 x 51.2 x 11.4" can load of 992 lb cargo. The standard towed weight is up to 1134 kg. Fugleman is on standby at any time!



1000cc

105нр

Horsepower

32см

680kg

(12.6") Ground Clearance

(1499 lb) Payload Capacity

**VEHICLE SIZE** 

121.1 x 64 x 81.3"
(307.5 x 162.5 x 206.5 cm)


#### Model Highlights

- 1000cc DOHC Engine
- 105 hp , 93.5 N.m Torque
- Standard Front Axle Differential Lock
- Steel Front Tires 27 x 9-14
   Steel Rear Tires 27 x 11-14
- Standard EPS
- High-Strength Chromium-Molybde num Steel Frame
- Fuel Tank Capacity 45L
- carry 3 people























| POWER&DRIVETRAIN | Engine Type                   | 570cc, 4-Stroke Single-Cylinder, DOHC Engine   | 570cc, 4-Stroke Single-Cylinder, DOHC Engine  |    |
|------------------|-------------------------------|--|---|----|
|                  | Horsepower                    | 44 hp  | 44 hp   |    |
|                  | Torque                        | 48 N.m   | 48 N.m  |    |
|                  | Drive System                  | On-Demand 2WD/4WD<br>Front & Rear Differential Lock  | On-Demand 2WD/4WD<br>Front Differential   |    |
|                  | Transmission                  | CVT  | CVT   |    |
| DIMENSION        | LxWxH                         | 86.7 x 50.4 x52.0"(220 x 128 x 132 cm)   | 92.5 x 50.4 x 56.3"(235 x 128 x 143 cm)   |    |
|                  | Wheelbase                     | 51.2"(130cm)   | 57.1''(145cm)   |    |
|                  | Ground Clearance              | 10.6"(27cm)  | 10.6"(27cm)   |    |
|                  | Rack Capacity<br>(Front/Rear) | 88lbs(40kg)/132lbs(60kg)   | 88lbs(40kg)/132lbs(60kg)  |    |
| TIRES&WHEELS     | Shocks                        | Oil Shock/ Gas Shock   | Oil Shock/ Gas Shock  |    |
|                  | Wheel                         | 12'' Steel Rim/14'' Aluminum Rim or With Beadlock  | 12'' Steel Rim/14'' Aluminum Rim or With Beadlock   |    |
|                  | Front Tires                   | 25X8-12/26X8-12(Optional)  | 25X8-12/26X8-14(Optional)   |    |
| TIRE             | Rear Tires                    | 25X10-12/26X10-12(Optional)  | 25X10-12/26X10-14(Optional)   |    |
|                  | Brake                         | 3/4-Wheel Disc Brake   | 3/4-Wheel Disc Brake  |    |
|                  | Rack                          | Steel Rack/Convertible Composite Rack  | Steel Rack/Convertible Composite Rack   |    |
|                  | Winch                         | 2500lbs/3000lbs (1134.0/1587.6kg)(Optional)  | 2500lbs/3000lbs (1134.0/1587.6kg)(Optional)   |    |
|                  | EPS                           | Optional   | Optional  |    |
| w                | Light                         | Halogen/LED  | Halogen/LED   |    |
| URE              | T-box                         | Optional   | Optional  |    |
| FEATURES         | Color                         | Smart Blue & Innovative Grey<br>Dream Green & Bold Black<br>Tensive O&R & Electric White, Prairie Camo | Smart Blue & Innovative Grey<br>Dream Green & Bold Black<br>Tensive O&R & Electric White , Prairie Camo |    |
|                  | Seats                         | Short Frame  | Long Frame  |    |
|                  | Additional Features           | Receiver and Hitch, Digital Dashboard, Smart Moving APP  |   |    |
|                  | Homologation                  | T3a, T3b, L7e  |   | 26 |

Segway reserves the right to change specifications, models or pricing at any time without incurring obligations.

## VILLAIN SX10 W





VILLAIN SX10 E (64")



VILLAIN SX10 X (64")



VILLAIN SX10 WX (72")

| POWER&DRIVETRAIN | Engine                   | 1000cc, 4-Stroke Twin-Cylinder,<br>DOHC Engine                  | 1000cc, 4-Stroke Twin-Cylinder,<br>DOHC Engine                   | 1000cc, 4-Stroke Twin-Cylinder,<br>DOHC Engine          |
|------------------|--------------------------|---|--|---|
|                  | Engine brake             | /   | /  | /   |
|                  | Horsepower               | 105 HP  | 105 HP   | 105 HP  |
|                  | Torque                   | 93.5 N.m  | 93.5 N.m   | 93.5 N.m  |
|                  | Transmission             | CVT   | CVT  | CVT   |
|                  | Front Differential Lock  | Diff lock on demand   | Diff lock on demand  | Diff lock on demand                                     |
|                  | Rear Differential        | /   | /  | /   |
|                  | Powertrain mode          | 2WD / 4WD on demand   | 2WD / 4WD on demand  | 2WD / 4WD on demand                                     |
|                  | EPS                      | APP Adjust  | APP Adjust   | APP Adjust  |
|                  | Dimension                | 132.9 x 64.2 x 70.9" (337.5 ×163.0 ×180.0 cm)                   | 132.9 x 64.2 x 70.9" (337.5 ×163.0 ×180.0 cm)                    | 132.3 x 72.8 x 72.8"(338.0 x185.0 x185.0 cm)            |
|                  | Wheelbase                | 102"(259cm)   | 102"(259cm)  | 102"(259cm)   |
|                  | Ground Clearance         | 14.2"(36cm)   | 14.2"(36cm)  | 14.6"(38cm)   |
|                  | Seat Hight               | 23.7" (60cm)  | 23.7" (60cm)   | 23.7" (60cm)  |
| NO               | Fuel Capacity            | 11.6 gal (44L)  | 11.6 gal (44L)   | 11.6 gal (44L)  |
| DIMENSION        | Bed Box Capacity         | 198 lb (90 kg)  | 198 lb (90 kg)   | 198 lb (90 kg)  |
|                  | Bed Box dimensions in cm | 15.8 x 35.3 x 8.7"(40.2 x89.7 x22cm)                            | 15.8 x 35.3 x 8.7"(40.2 x89.7 x22cm)                             | 15.8 x 35.3 x 8.7"(40.2 x89.7 x22cm)                    |
|                  | Payload Capacity         | 198.4+374.8lb (90+170kg)  | 198.4+374.8lb (90+170kg)   | 198.4+374.8lb (90+170kg)                                |
|                  | Tow Capacity             | 2910 lb (1320kg)  | 2910 lb (1320kg)   | 2910 lb (1320kg)  |
|                  | Dry weight               | 1840.9lb (835kg)  | 1840.9lb (835kg)   | 1885.0lb (855kg)  |
|                  | Curb Weight              | 1896.0lb (860kg)  | 1896.0lb (860kg)   | 1940.0 (880kg)  |
| S                | Front Suspension         | Dual A-Arm with Stabilizer Bar 40cm                             | Dual A-Arm with Stabilizer Bar 40cm                              | Dual A-Arm with Stabilizer Bar 40cm                     |
| 핍                | Rear Suspension          | Multi-link Trailing-Arm with Stabilizer Bar 45cm                | Multi-link Trailing-Arm with Stabilizer Bar 45cm                 | Multi-link Trailing-Arm with Stabilizer Bar 45cm        |
| × WH             | Shocks                   | Remote Reservoir Gas Shock                                      | Remote Reservoir Gas Shock                                       | Remote Reservoir Gas Shock                              |
| TIRES&WHEELS     | Wheels & Tires           | 29'' tires on 14'' Aluminum Rim<br>Fr 29*9.00R14, Rr29*11.00R14 | 29" tires on 14" Beadlock Aluminum Rim Fr 29*9.00R14,29*11.00R14 | 30" tires on 14" Beadlock Aluminum Rim Fr&Rr30*10.00R14 |
|                  | Brakes                   | 4-wheel Discs Brake   | 4-wheel Discs Brake  | 4-wheel Discs Brake                                     |
| FEATURES         | Smart Touch Screen       | /   | 10.4"  | 10.4"   |
|                  | Smart Moving APP         | V   | V  | V   |
|                  | Winch                    | 3500lb (1587.6kg)   | 3500lb (1587.6kg)  | 4500lbs (2041.2kg)                                      |
|                  | Lighting                 | LED   | LED  | LED   |
|                  | Seat                     | 2 Seats   | 2 Seats  | 2 Seats   |
|                  | Door                     | 1/4   | 1/4  | 1/4   |
|                  | Color                    | Electric White & Tensive O&R Bold Black & Dream Green           | Electric White & Tensive O&R Bold Black & Dream Green            | Electric White & Tensive O&R Bold Black & Dream Green   |

Segway reserves the right to change specifications, models or pricing at any time without incurring obligations.

## FUGLEMAN LITTO



#### **FUGLEMAN UT10 E**

## SEGWAY







FUGLEMAN UT10 X





|                  | Powertrain               | Fuel Engine  | Fuel Engine   |  |
|------------------|--------------------------|--|---|--|
|                  | Engine                   | 1000cc, 4-Stroke Twin-Cylinder, DOHC Engine  | 1000cc, 4-Stroke Twin-Cylinder, DOHC Engine   |  |
| POWER&DRIVETRAIN | Horsepower               | 105 HP   | 105 HP  |  |
| VET              | Torque                   | 93.5 N.m   | 93.5 N.m  |  |
| DRI              | Transmission             | CVT  | CVT   |  |
| ER&              | Front Differential Lock  | Diff lock on demand  | Diff lock on demand   |  |
| POW              | Rear Differential        | /  | /   |  |
|                  | Powertrain mode          | 2WD / 4WD on demand  | 2WD / 4WD on demand   |  |
|                  | EPS                      | APP Adjust   | APP Adjust  |  |
|                  | Dimension                | 121.1 x 64 x 81.3" (307.5 x 162.5 x 206.5 cm)  | 121.1 x 64 x 81.3" (307.5 x 162.5 x 206.5 cm)   |  |
|                  | Wheelbase                | 82.1" (208.5 cm)   | 82.1" (208.5 cm)  |  |
|                  | Ground Clearance         | 12.6" (32 cm)  | 12.6" (32 cm)   |  |
|                  | Dashboard                | LCD Screen/TFT Screen(Optional)  | TFT Screen  |  |
| NO N             | Fuel Capacity            | 12 gal (45 L)  | 12 gal (45 L)   |  |
| DIMENSION        | Bed Box Capacity         | 770 lb (350 kg)  | 770 lb (350 kg)   |  |
|                  | Bed Box dimensions in cm | 36.2x 51.2x11.4" (92 x 130 x 29 cm)  | 36.2x 51.2x11.4" (92 x 130 x 29 cm)   |  |
|                  | Payload Capacity         | 1499 lb (680 kg)   | 1499 lb (680 kg)  |  |
|                  | Tow Capacity             | 1543 lb (700kg)  | 1543 lb (700kg)   |  |
|                  | Curb weight              | 1667 lb (756 kg)   | 1667 lb (756 kg)  |  |
|                  | Winch                    | 3500lb (1587.6kg)/4500lb (2041.1kg)(Optional)  | 3500lb (1587.6kg)/4500lb (2041.1kg)(Optional)   |  |
| ELS              | Front Suspension         | Dual A-Arm;Front Travel: 11" (28cm)  | Dual A-Arm;Front Travel: 11" (28cm)   |  |
| 불                | Rear Suspension          | Dual A-Arm;Front Travel: 10.6" (27cm)  | Dual A-Arm; Front Travel: 10.6" (27cm)  |  |
| S&V              | Brakes                   | 4-wheel Discs Brake  | 4-wheel Discs Brake   |  |
| TIRES&WHEELS     | Wheels & Tires           | Steel Front Tires 27 x 9-14<br>Steel Rear Tires 27 x 11-14   | Aluminum with Beadlock Front Tires 27 x 9-14<br>Aluminum with Beadlock Rear Tires 27 x 11-14                          |  |
|                  | Smart Touch Screen       | /  | 10.4"   |  |
| FEATURES         | Smart Moving APP         | V  | V   |  |
| A I              | Lighting                 | Halogen  | Halogen   |  |
| H                | Seat                     | 2/3 Seats  | 2/3 Seats   |  |
|                  | Door                     | Net door   | Plastic door  |  |
|                  | Color                    | Electric White & Tensive O&R Bold Black & Dream Green; Innovative Grey & Bold Black; Prairie Camo & Bold Black | Electric White & Tensive O&R ; Bold Black & Dream Green ;<br>Innovative Grey & Bold Black ; Prairie Camo & Bold Black |  |